UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/533,679	04/02/2007	Eric D. Cordemans De Meulenaer	ASHL.001A	6135
20995 7590 04/20/2009 KNOBBE MARTENS OLSON & BEAR LLP			EXAMINER	
2040 MAIN STREET			HRUSKOCI, PETER A	
FOURTEENTH FLOOR IRVINE, CA 92614			ART UNIT	PAPER NUMBER
			1797	
			NOTIFICATION DATE	DELIVERY MODE
			04/20/2009	ELECTRONIC

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

jcartee@kmob.com eOAPilot@kmob.com

	Application No.	Applicant(s)			
Office Action Summary	10/533,679	CORDEMANS DE MEULENAER ET AL.			
Office Action Summary	Examiner	Art Unit			
	/Peter A. Hruskoci/	1797			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on 13 M	<u>arch 2009</u> .				
2a)⊠ This action is <b>FINAL</b> . 2b)☐ This	This action is <b>FINAL</b> . 2b) This action is non-final.				
3)☐ Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
<ul> <li>4)  Claim(s) 1-29 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1-29 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>					
Application Papers					
<ul> <li>9) The specification is objected to by the Examiner.</li> <li>10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>					
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	te			

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-27 are rejected under 35 U.S.C. 102(b) as being anticipated by WO 98/01394 Cordemans et al.. It is submitted that Cordemans et al. (see Abstract) appear to teach the structure of the device and the method steps recited in the instant claims.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 28 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO 98/01394 Cordemans et al.. The claims differ from Cordemans et al. as applied above, by reciting that the method includes emitting ultrasound at a specific power level, and the device is configured to emit ultrasound at the specific power level, respectively. It is submitted that the specific power level utilized in Cordemans et al. to remove undifferentiated cells and/or microorganisms would appear to require the power level recited in the instant claims. It would have been obvious to one skilled in the art to modify the method and device of Cordemans et al. by utilizing the recited power level, to aid in removing cells from the suspension. The specific power level utilized, would have been an obvious matter of process optimization to one skilled in the art, depending on the specific suspension treated and results desired, absent a sufficient showing of unexpected results.

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-29 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-11 of U.S. Patent No. 6,540,922, 1-11 and 23 of U.S. Patent No. 6,736,979, and 1-11 of U.S. Patent No. 7,267,778. Although the conflicting claims are not identical, they are not patentably distinct from each other because the method steps and structure of the device recited in the instant claims appears to be fully encompassed by the method steps and structure recited in the respective claims of the patents. Furthermore, since the inventive entity in 6,540,992 is different from the instant invention, applicants should include evidence that the instant invention was commonly owned at the time the inventions were made, to preclude a rejection under 35 USC 102 (f), (g) and/or (e) in accordance with MPEP 804.

Claims 1-29 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-35 of copending Application No.

Art Unit: 1797

11/833,878. Although the conflicting claims are not identical, they are not patentably distinct from each other because the structure of the device and method steps recited in the instant claims appear to be fully encompassed by the structure and steps recited in the claims of the copending application, respectively.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Applicants argue that the PCT Cordemans et al. publication does not disclose a device or method for treating a cell suspension or physiological fluid by emitting ultrasound at a frequency and power level recited in instant claims 1 and 14, respectively. It is submitted that fluid and suspension treated and frequency utilized in Cordemans et al. are considered patentably indistinguishable from the suspension or fluid recited in the instant claims. It is further submitted that the ultrasound frequency produced in Cordemans et al. to remove undifferentiated cells and/or microorganisms would appear to require the power level recited in the instant claims. Furthermore, applicants have not provided sufficient factual evidence to support the above argument.

Applicants argue that none of the earlier patents utilized in the nonstatutory obviousness-type double patenting rejection include claims reciting the power level of the ultrasound being emitted, as recited in the instant claims. It is submitted that the ultrasound frequency emitted in the claims of the earlier patents would appear to require the power level recited in the instant claim, to remove undifferentiated cells and/or microorganisms. Furthermore, applicants have not presented sufficient comparative evidence with the power levels used in the earlier patents to support the above argument.

Application/Control Number: 10/533,679

Art Unit: 1797

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Page 5

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to /Peter A. Hruskoci/ whose telephone number is (571) 272-1160. The examiner can normally be reached on Monday through Friday from 8:00AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/533,679 Page 6

Art Unit: 1797

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

4/15/09

/Peter A. Hruskoci/ Primary Examiner Art Unit 1797